


We claim:

1. A fungicidal mixture comprising, as active components,


5 1) the triazolopyrimidine derivative of the formula I



I

and

2) quinoxifen of the formula II



II

10 in a synergistically effective amount.

2. A fungicidal mixture comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.

15 3. A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 1 or 2.

20 4. A method for controlling harmful fungi from the class of the *Oomycetes*, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and the compound II as set forth in claim 1.

25 5. A method as claimed in claim 4, wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.

6. A method as claimed in claim 4, wherein the mixture as claimed in claim 1 or 2 is applied to the soil or the plants to be protected against fungal attack in an amount of from 5 g/ha to 2000 g/ha.

7. A method as claimed in claim 4 or 5, wherein the mixture as claimed in claim 1 or 2 is applied in an amount of from 1 to 1000 g/100 kg of seed.
8. A method as claimed in any of claims 4 to 7, wherein the harmful fungus *Plasma-*
5 *para viticola* is controlled.
9. Seed comprising the mixture as claimed in claim 1 or 2 in an amount of from 1 to 1000 g/100 kg.
10. The use of the compound I and the compound II as set forth in claim 1 for prepar-
10 ing a composition suitable for controlling *Oomycetes*.